

## Short Shotgun Microphone for Boom pole and Camera Mount




- Very sharp directivity in a 181.5mm length body
- Flat frequency response beyond 20kHz (on axis)
- High sensitivity -24dB/Pa
- Accepts high SPLs, more than 130dB SPL(1% THD), with no distortion in close miking
- Narrow angle directivity over the entire frequency range,
- Light weight, only 80g, easy to operate on a boom pole
- Sanken original square-type DC-biased condenser capsule

The CS-1e is Sanken's solution to a large demand from many engineers in the video and film Industries. This shotgun mic is easily hidden from the camera's view because of its short length. Although only 181.5mm, the CS-1e has very sharp directivity and provides excellent sound in a wide variety of professional engineering applications. The CS-1e is very effective on boom poles, and also works extremely well with various kinds of camera mounts for one-man ENG operations. Affordably priced, the CS-1e is ideal for today's highly mobile operators.


### <Specifications>

Directivity	Cardioid / lobar
Transducer	DC biased condenser
Frequency range	50Hz - 20kHz
Sensitivity (nominal at 1kHz)	63.1mV/Pa (-24dB,0dB=1V/Pa)
Equivalent noise level (A-weighted)	15dB-A
Max SPL (1% THD)	130dB SPL
Output impedance at 1kHz	120Ω
Powering	+48±4V phantom
Current consumption	less than 3.5mA
Weight	80g
Dimensions	181.5mm x 19mm (diameter)
Surface finish	matte black
Connector	XLR-3M
Included Accessories	WM-1e urethane wind screen


### <Dimensions>



### <Frequency Response>



<Polar Pattern>



< Optional accessories >

GS-1  
Suspension  
Hand grip  
(SH-1+HG-1)



HG-1

SH-1  
Suspension  
holder



RB-1

Spare rubber parts for SH-1  
(2 in one set) Handgrip part only

< Optional accessories >

WM-1e

Urethane windscreen



WSJ-1e

Softie type cage  
+ windjammer



K-BWC

Camera mount for SH-1  
(26mm)



K-BWS

Camera mount for SH-1  
(24mm)



K-BWJ

Camera mount for SH-1  
(21mm)



Specifications are subject to change without notice

**SANKEN MICROPHONE CO., LTD.**

2-8-8 Ogikubo, Suginami-ku, Tokyo 167-0051 Japan

Phone: +81 3 3392 6581 FAX: +81 3 3393 2055

[www.sanken-mic.com](http://www.sanken-mic.com)